



What Is the Difference Between CAPD and ADHD?

Central Auditory Processing Disorder (CAPD)

by Keri Spielvogle, M.C.D., CCC-SLP

(See Handout #43)



Recently, there have been a lot of questions regarding the difference between two commonly diagnosed childhood disorders, CAPD (Central Auditory Processing Disorder) and ADHD (Attention Deficit Hyperactivity Disorder). When should the child receive speech therapy? How can I help this child? What exactly are the symptoms of each? Am I doing the right thing?

You might find yourself asking these questions, plus many more. It's true the symptoms of ADHD and CAPD are similar. The intention of the next two handouts is to provide parents, educators, and therapists with a general overview of the causes, symptoms, diagnosis methods, and treatments for each, starting with Central Auditory Processing Disorder (CAPD). It, in no way, intends to diagnose, identify, and/or provide treatment goals for children suspected to have CAPD. This diagnosis can only be provided by a health care professional trained in the signs and symptoms of each.

Central Auditory Processing Disorder (CAPD) I can HEAR what you say, but I DON'T understand!

Overview: A very basic description of CAPD involves a child with normal hearing who has difficulty understanding (processing) auditory stimuli. In other words, there is a breakdown between the hearing mechanism and the part of the brain that processes this information. This difficulty may have a negative impact on many areas of a child's life.

Causes: Some possibilities include ear infections, exposure to lead, and head injury. Scientists, however, continue to speculate on any one cause for this disorder.

Symptoms: Children with CAPD may exhibit any number of the following symptoms:

- 1) Academic and/or behavior problems.
- 2) Giving the same incorrect answer consistently to answer the same question. (i. e. "Who was the first President of the U.S.?" "Abraham Lincoln.").
- 3) Easily and frequently distracted from tasks, especially in a noisy environment.
- 4) Requires increased time and/or multiple cueing to answer questions.
- 5) Difficulty recognizing and/or discriminating between sounds, especially sounds that are acoustically similar (s/z and f/v).

6) Difficulty following auditory directions and/or commands, especially when more than one step.

7) May ask for frequent repetition and/or clarification of questions/statements.

Diagnosis: CAPD should be diagnosed by a health care professional, such as an audiologist. Audiologists will test the child's hearing using a battery of tests. These tests will rule out a hearing loss and diagnose an auditory processing disorder. Discuss with your child's pediatrician if a referral is recommended.

Treatment: These treatments are to serve as a general guideline only. The speech-language pathologist working with your child may incorporate goals targeting your child's strengths and weaknesses. Incorporate these goals as much as possible into the school, social, therapy, and home settings. Some general treatment guidelines are as follows:

- * Provide child with a quiet environment, especially when listening to important information and completing homework tasks.
- * Have the child keep a visual day planner, writing in important information as soon as it is presented. He/she should review this planner often for increasing reinforcement.
- * Ask the child to repeat commands and directions. If possible, have the child re-tell you the information in his/her own words.
- * Decrease your rate of speech when talking to the child and allow more time for the child to answer questions.
- * Set up a routine for the child and attempt to stick to it. If there are changes to the routine, remind the child frequently of time and event. Try to provide a visual, such as a note or picture to remind the child of the change in schedule.
- * Follow any goals and/or recommendations set up by the child's speech-language pathologist.
- * Drug treatment is generally not introduced.

Hopefully, this handout will provide much needed information about Central Auditory Processing Disorder (CAPD).

Information adapted from: www.kidshealth.org • www.discoveryhealth.com

Name

Date

Call Toll Free 1-800-277-8737
Fax Toll Free 1-800-978-7379



Online!
www.superduperinc.com